



OCI Company Ltd.

Material Safety Data Sheet

# MSDS

## 0.1N-Sulfuric Acid

### Section 1 - Chemical Product and Company Identification

Substance : 0.1N-Sulfuric Acid

Recommended use : Laboratory chemicals, Testing, Research and Industrial use

Restriction of use : Not for use other than for non-drinking, testing, research and industrial purposes

Company Identification

Company : OCI Company Ltd.

Address : 94, Sogong-ro, Jung-gu, Seoul, KOREA

Tel No. : 82 - 2 - 727 - 9494

### Section 2 - Hazards Identification

#### 1) Hazard Classification

Metal corrosion : 1

Acute toxicity (Inhale) : 1

Skin corrosion / irritation : 1

Carcinogenicity : 1A

Specific target organ toxicity following single exposure : 1

Specific target organ toxicity following repeated exposure : 1

#### 2) Warning signal

Symbol



Signal word

Danger

Hazard statement

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H330 Fatal if inhaled

H350 May cause cancer

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

Prevention precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 (In case of inadequate ventilation) Wear respiratory protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P311 IF exposed: Call a POISON CENTER or doctor/physician.  
P308+P313 IF exposed: Get medical advice/attention.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P314 Get medical advice/attention if you feel unwell.  
P320 Specific treatment is urgent (see on this label).  
P321 Specific treatment  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P406 Store in corrosive resistant/container with a resistant inner liner.  
P501 Dispose of contents/container to the related laws.

3) NFPA  
Health Rating            3  
Flammability Rating    0  
Reactivity Rating        2

---

### Section 3 - Composition, Information on Ingredients

---

Component: Sulfuric acid  
CAS No.: 7664-93-9  
Content: < 0.5%

Component: Water  
CAS No.: 7732-18-5  
Content: > 99.5%

---

### Section 4 - First Aid Measures

---

**General information:** Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Call a physician or poison control center immediately.

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** Causes digestive tract burns. Causes severe skin and eye burns. Symptoms may be delayed.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treat symptomatically.

---

**Section 5 - Fire Fighting Measures**

---

**General Fire Hazards:** The product is non-combustible. Fire may produce irritating, corrosive and/or toxic gases.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Foam, carbon dioxide or dry powder.

**Unsuitable extinguishing media:** Do not use water as an extinguisher.

**Specific hazards arising from the chemical:** Product is acidic. Wear appropriate protective gear if spilled during fire fighting.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

---

**Section 6 - Accidental Release Measures**

---

**Personal precautions, protective equipment and emergency procedures:** Keep unauthorized personnel away. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Methods and material for containment and cleaning up:** Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

---

## Section 7 - Handling and Storage

---

**Precautions for safe handling:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not eat, drink or smoke when using the product. Wash hands thoroughly after handling. Use caution when adding this material to water. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water.

**Conditions for safe storage, including any incompatibilities:** Do not store in metal containers. Store in corrosive resistant container with a resistant inner liner. Keep in a cool, well-ventilated place. Keep container tightly closed. Store in a dry place.

---

## Section 8 - Exposure Controls, Personal Protection

---

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
SULFURIC ACID - Thoracic fraction.	TWA	0.2 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (2011)
SULFURIC ACID	REL	1 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

**Appropriate Engineering Controls** No data available.

#### Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

**Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.

#### Skin Protection

**Hand Protection:** Chemical resistant gloves

**Other:** Wear suitable protective clothing.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Chemical respirator with acid gas cartridge.

**Hygiene measures:** Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

---

## Section 9 - Physical and Chemical Properties

---

## Appearance

**Physical state:** Liquid

**Form:** Liquid

**Color:** Colorless

**Odor:** Odorless

**Odor threshold:** No data available.

**pH:** 1.05

**Melting point/freezing point:** No data available.

**Initial boiling point and boiling range:** No data available.

**Flash Point:** Nonflammable

**Evaporation rate:** No data available.

**Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits** Nonflammable

**Vapor pressure:** No data available.

**Vapor density:** No data available.

**Relative density:** No data available.

### Solubility(ies)

**Solubility in water:** No data available.

**Solubility (other):** No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Auto-ignition temperature:** No data available.

**Decomposition temperature:** No data available.

**Viscosity:** No data available.

**Molecular weight:** No data available.

---

## Section 10 - Stability and Reactivity

---

**Reactivity:** Reacts violently with strong alkaline substances.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur. Material reacts with water.

**Conditions to Avoid:** Moisture. Heat. Contact with incompatible materials.

**Incompatible Materials:** Water. Cyanides. Strong oxidizing agents. Strong reducing agents. Metals.

Halogens. Organic compounds. Potassium.

**Hazardous Decomposition Products:**

---

## Section 11 - Toxicological Information

---

### Information on likely routes of exposure

**Ingestion:** May cause burns of the gastrointestinal tract if swallowed.

**Inhalation:** May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

### Information on toxicological effects

**Acute toxicity (list all possible routes of exposure)**

**Oral Product:** No data available.

**Dermal Product:** No data available.

**Inhalation**

**Product:** No data available.

**Specified substance(s):** SULFURIC ACID      LC 50 (Guinea pig, 8 h): 0.03 mg/l  
LC 50 (Rat, 4 h): 0.375 mg/l

**Repeated Dose Toxicity Product:** No data available.

**Skin Corrosion/Irritation Product:** Causes severe skin burns.

**Serious Eye Damage/Eye Irritation Product:** Causes serious eye damage.

**Respiratory or Skin Sensitization Product:** Not a skin sensitizer.

**Carcinogenicity Product:** May cause cancer.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

SULFURIC ACID Overall evaluation: 1. Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

SULFURIC ACID Known To Be Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro Product:** No mutagenic components identified

**In vivo Product:** No mutagenic components identified

**Reproductive Toxicity Product:** No components toxic to reproduction

**Specific Target Organ Toxicity - Single Exposure Product:** Respiratory tract irritation.

**Specific Target Organ Toxicity - Repeated Exposure Product:** None known.

**Aspiration Hazard Product:** Not classified

**Other Effects:** No data available.

---

**Section 12 - Ecological Information**

---

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):** SULFURIC ACID

LC 50 (Starry, european flounder (Platichthys flesus), 48 h): 100 - 330 mg/l Mortality

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 42 mg/l Mortality

LC 50 (Goldfish (Carassius auratus), 96 h): 17 mg/l Mortality

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):** SULFURIC ACID

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 70 - 80 mg/l Mortality

LC 50 (Aesop shrimp (Pandalus montagui), 48 h): 42.5 mg/l Mortality

**Chronic hazards to the aquatic environment:**

**Fish Product:** No data available.

**Aquatic Invertebrates Product:** No data available.

**Toxicity to Aquatic Plants Product:** No data available.

#### **Persistence and Degradability**

**Biodegradation Product:** There are no data on the degradability of this product.

**BOD/COD Ratio Product:** No data available.

#### **Bioaccumulative Potential**

**Bioconcentration Factor (BCF) Product:** No data available on bioaccumulation.

**Partition Coefficient n-octanol / water (log Kow) Product:** No data available.

**Mobility in Soil:** The product is water soluble and may spread in water systems.

**Other Adverse Effects:** The product contains a substance which is harmful to aquatic organisms. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

---

### **Section 13 - Disposal Considerations**

---

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** Since emptied containers retain product residue, follow label warnings even after container is emptied.

---

### **Section 14 - Transport Information**

---

#### **DOT**

UN Number: UN 2796

UN Proper Shipping Name: Sulfuric acid

Transport Hazard Class(es)

Class(es): 8

Label(s): 8

Packing Group: II

Marine Pollutant: No

#### **IMDG**

UN Number: UN 2796

UN Proper Shipping Name: SULPHURIC ACID (WITH MORE THAN 51% ACID)

Transport Hazard Class(es)

Class(es): 8

Label(s): 8

EmS No.: F-A, S-B

Packing Group: II

Marine Pollutant: No

#### **IATA**

UN Number: UN 2796

Proper Shipping Name: Sulphuric acid

Transport Hazard Class(es):

Class(es): 8

Label(s): 8

Marine Pollutant: No  
Packing Group: II

---

## Section 15 - Regulatory Information

---

### US Federal Regulations

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

##### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

##### CERCLA Hazardous Substance List (40 CFR 302.4):

SULFURIC ACID Reportable quantity: 1000 lbs.

##### Superfund Amendments and Reauthorization Act of 1986 (SARA)

###### Hazard categories

X Acute (Immediate)    X Chronic (Delayed)    Fire    Reactive    Pressure Generating

###### SARA 302 Extremely Hazardous Substance

Chemical Identity	RQ	Threshold Planning Quantity
SULFURIC ACID	1000 lbs.	1000 lbs.

###### SARA 304 Emergency Release Notification

Chemical Identity	RQ
SULFURIC ACID	1000 lbs.

###### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
SULFURIC ACID	500lbs

###### SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
SULFURIC ACID	10000 lbs	25000 lbs.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

SULFURIC ACID Reportable quantity: 1000 lbs.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

SULFURIC ACID Threshold quantity: 10000 lbs

### US State Regulations

#### US. California Proposition 65

SULFURIC ACID Carcinogenic.

#### US. New Jersey Worker and Community Right-to-Know Act

SULFURIC ACID Listed

#### US. Massachusetts RTK - Substance List

SULFURIC ACID Listed

#### US. Pennsylvania RTK - Hazardous Substances

SULFURIC ACID Listed

#### US. Rhode Island RTK

SULFURIC ACID Listed

### Inventory Status:

Australia AICS: On or in compliance with the inventory



Canada DSL Inventory List: On or in compliance with the inventory  
EU EINECS List: On or in compliance with the inventory  
EU ELINCS List: Not in compliance with the inventory.  
Japan (ENCS) List: On or in compliance with the inventory  
EU No Longer Polymers List: Not in compliance with the inventory.  
China Inv. Existing Chemical Substances: On or in compliance with the inventory  
Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory  
Canada NDSL Inventory: Not in compliance with the inventory.  
Philippines PICCS: On or in compliance with the inventory  
US TSCA Inventory: On or in compliance with the inventory  
New Zealand Inventory of Chemicals: On or in compliance with the inventory  
Switzerland Consolidated Inventory: Not in compliance with the inventory.  
Japan ISHL Listing: Not in compliance with the inventory.  
Japan Pharmacopoeia Listing: Not in compliance with the inventory.

---

## **Section 16 - Other Information**

---

Sources : KOSHA, National Emergency Management Agency  
Issue date : 04/01/2019  
Last updated date : 04/01/2019  
Revision number : 0